CARTON LAMINATOR SIMPLE SIMPLE 1450 / 1650



HIGH RESPONSIVE CARTON CONVERTING MACHINERY



SMARTFLUTE

1450 / 1650

FULLY AUTOMATIC HIGH SPEED LAMINATING MACHINE

Ultra-fast job change-over, suitable for small to large run. High precision, user friendly. Corrugated with cardboard, cardboard with cardboard, cardboard with greyboard, all types of laminating jobs can be easily handled on Smartflute.



A high capacity production solution





Servo control front lays with electronic sensors for sheet registration.

Ensures precise positioning and alignment of the carton sheets before they are fed into the laminating process.





Substrate feeding with vacuum and servo motor intermittent driven system.

Servo motor driven suction feed head for top sheet, able to run large format.

AT A GLANCE



FAST PROCESSING 160 m/min

K 7

WIDE RANGE



1450 mm to 1650 mm



MATERIALS

Paper board Carton board Corrugated board



FLEXIBLE & EASY TO OPERATE



SPECIFICATIONS

Processed materials

Top Feeder	Cardboard 120 - 600 gsm	
Bottom Feeder	Cardboard 300 - 800 gsm	
	Corrugated board types W, E, F, B,	
	C, A & 5 layers	
Functionality		
Able to mount	Paper to Cardboard Cardboard to Cardboard	
Paper to Flute		
	Cardboard to Flute	
Capability		
Paper size from 410 to 1	1650 mm	
Machine speed max. 16	0 m/min	
Accurancy +/- 1.5 mm		
Dimensions & weight	1450	1650
Length	13.66 m	13.66 m
Width	2.23 m	2.43 m
Height	2.5 m	2.50 m
Weight	10 Ton	11 Ton
Installation		
Power supply	30 kW	30 kW


PERIPHERALS




Flip-Flop 1450 / 1650

SCHEME SMARTFLUTE 1450








SCHEME SMARTFLUTE 1650



SCHEME Flip-Flop (1450 & 1650)









info@dgm-global.com www.dgm-global.com

TEL (86) 0752-277 37 80 FAX (86) 0752-277 37 78

HuiHuan Industrial Area, Huizhou City, Guangdong Province, China

DGM Technology (China) Co., Ltd.