

FLATBED DIE-CUTTERS

# TECHNOCUT

1200 / 1200S



HIGH RESPONSIVE  
CARTON CONVERTING  
MACHINERY



# TECHNOCUT

1200 / 1200S

## FULLY AUTOMATIC FLATBED DIE CUT- TING AND CREASING MACHINE

The TechnoCut 1200 Automatic Die-Cutting Machine handles large formats with high precision, speed, and easy operation.

Its quick changeovers, durability, and stable performance make it a top choice for efficient, high-demand projects.



# A high capacity production solution



Non-stop delivery

Automatic non-stop delivery, allows the operator to remove finished piles and insert new pallets while the machine continues to run..




Stripping section

Includes upper and lower stripping frames with adjustable pins, supports, and telescopic bars for full manual setup. Also features an automatic window for easy access.



Register table

Features 8 variable speed conveyor belts and anti-static stainless steel for precise sheet control. Equipped with adjustable transport wheels and brushes for flexible positioning.




Feeder section

Equipped with 4 lift-up suckers and 4 suction nozzles, ensuring smooth, accurate, and reliable feeding for various materials. Adjustable for forward, backward, and height positions to suit the pile.

# MODELS

TECHNOCUT 1200  
Without Stripping unit

TECHNOCUT 1200S  
With Stripping unit



**FAST PROCESSING**  
7500 s/h



**WIDE RANGE**  
400 x 360 mm to  
1200 x 950 mm



**MATERIALS**  
Paper  
Cardboard  
Solid board  
Corrugated Board  
Plastic



**FLEXIBLE &  
EASY TO OPERATE**



**CERTIFICATED**

## SPECIFICATIONS

### TECHNOCUT

<b>Processed materials</b>	
Carton board min.	100 g/m <sup>2</sup>
Carton board max.	2000 g/m <sup>2</sup>
Corrugated board max.	5 mm
<b>Capability</b>	
Sheet size min.	400 x 360 mm
Sheet size max.	1200 x 950 mm
Speed	7500 s/h
Cutting force	400 Ton
<b>Converting</b>	
Cutting size max.	1180 x 940 mm
Gripper margin min.	9.5 mm
<b>Pile height</b>	
Feeder	1600 mm
Delivery	1300 mm
<b>Installation</b>	
Power supply	25 kw
Compressed air	8 bar
Air compressor capacity	15 m <sup>3</sup> /h
Air tank capacity	100 L
<b>Dimensions &amp; weight</b>	
<b>Standard Platform</b>	
Length	8.86 m
Width	4.87 m
Height	2.54 m
Net Weight	19 Ton







[info@dgm-global.com](mailto:info@dgm-global.com)  
[www.dgm-global.com](http://www.dgm-global.com)

TEL (86) 0752-277 37 80  
FAX (86) 0752-277 37 78

HuiHuan Industrial Area, Huizhou City,  
Guangdong Province, China

DGM Technology (China) Co., Ltd